

* **1 Identification**

- **Product Identifier: Low Odor Floor Stripper**
- **Other means of identification (Article number): 2126**
- **Recommended use:**
Paint remover
Floor stripper
- **Restrictions on use:** All other uses than those indicated on the product label and technical data sheet
- **Manufacturer:**
Veritiv Canada Inc.
125 Madill Boulevard
Mississauga, ON L5W 0H1
Canada
- **Emergency telephone number:** CANUTEC 1-613-996-6666

2 Hazard identification

- **Classification:**
Flammable Liquids - Category 4 H227 Combustible liquid.
Skin Corrosion - Category 1C H314 Causes severe skin burns and eye damage.
Serious Eye Damage - Category 1 H318 Causes serious eye damage.
Specific Target Organ Toxicity - Single Exposure - Category 3 H335 May cause respiratory irritation.

- **Label elements**
- **Hazard pictograms:**



GHS05 GHS07

- **Signal word:** Danger
- **Hazard statements:**
H227 Combustible liquid.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
- **Precautionary statements:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Product Identifier: Low Odor Floor Stripper

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P312 Call a poison center/doctor if you feel unwell.

P363 Wash contaminated clothing before reuse.

P370+P378 IN CASE OF FIRE: Use for extinction: CO₂, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local, regional and national regulations.

· **Hazard not otherwise classified:** None Known· **Notes:** For the wording of the listed abbreviations refer to section 16.**3 Composition/Information on ingredients**· **Chemical characterization:** Mixtures· **Components:**

CAS NO. %	Chemical name or Common name	
141-43-5	2-Aminoethanol	7-13% w/w *
100-51-6	Benzyl Alcohol	3-7% w/w *
112-59-4	2-(2-Hexyloxyethoxy)ethanol	1-5% w/w *
68131-39-5	Alcohols (C12-15) Ethoxylated	1-5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures· **Description of first aid measures**· **After inhalation:**

In case of unconsciousness place patient stably in side position for transportation. Get medical attention.

· **After skin contact:**

Remove immediately all contaminated clothing. Rinse skin with water or shower for at least 15 minutes. Consult a doctor if skin redness and irritation persist.

May induce a skin irritation.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Remove contact lenses, if present and easy to do so. Continue rinsing for a minimum of 15 to 60 minutes. Then consult a doctor.

· **After ingestion:**

Drink copious amounts of water and provide fresh air. Immediately call a doctor. Do not induce vomiting.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.**5 Fire-fighting measures**· **Suitable extinguishing media:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **For safety reasons unsuitable extinguishing agents:** Water· **Specific hazards arising from the product:** During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Product Identifier: Low Odor Floor Stripper

(Contd. of page 2)

Special protective equipment and precautions for fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Mount respiratory protective device.

Wear recommended protective equipment(s). Keep unprotected persons away.

Ventilate area of leak or spill. Remove all sources of ignition. Clean-up personnel require protective clothing and respiratory protection from organic vapors.

Methods and material for containment and cleaning up:

Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent (eg. food vinegar (5% acetic acid), citric acid, sodium bicarbonate in excess)

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

Precautions for safe handling: Ensure good ventilation at the workplace.

Conditions for safe storage, including any incompatibilities:

Keep in the original receptacle tightly sealed.

Store under lock and key and out of the reach of children.

*** 8 Exposure controls/ Personal protection**

Components with limit values that require monitoring at the workplace:

141-43-5 2-Aminoethanol

EL	STEL: 6 ppm TWA: 3 ppm
EV	STEL: 15 mg/m ³ , 6 ppm TWA: 7,5 mg/m ³ , 3 ppm

Exposure controls:

Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Personal protective equipment:

Safety goggles (see Eye protection)



Protective gloves (See Protection of Hands)

General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Product Identifier: Low Odor Floor Stripper

(Contd. of page 3)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device when high concentrations are present.

If room is well-ventilated, a respirator is not needed under normal and intended conditions of product use.

· Protection of hands:

The glove material has to be impermeable and resistant to the product.

Protective Gloves

Check protective gloves prior to each use for their proper condition

· Eye protection:

Protective glasses are recommended when handling concentrated product.

Safety glasses are suggested when using this product in heavy use and institutional environments

Wear splash-proof chemical goggles in an industrial environment.

· Body protection:

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. (recommended)

9 Physical and chemical properties**· Appearance:**

Form: Liquid

Colour: Yellowish

· Odour: Amine

· Odor threshold: Not determined

· pH: 11,0-12,0

· Melting point/Freezing point: Not determined

· Boiling point/Boiling range: Undetermined.

· Flash point: >85 °C

· Flammability (solid, gaseous): Not applicable

· Decomposition temperature: Not determined

· Auto igniting Temperature: Product is not selfigniting.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Relative density: 1.000-1.040

Vapour density (air=1): <1 (aqueous solution)

Evaporation rate: Not determined

· Solubility in / Miscibility with

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined

10 Stability and reactivity**· Reactivity:**

Not determined.

No further relevant information available.

· Chemical stability: The product is stable.

· Possibility of hazardous reactions:

Flammable.

Reacts with acids.

(Contd. on page 5)

Product Identifier: Low Odor Floor Stripper

(Contd. of page 4)

- **Conditions to avoid:** Avoid freezing and extreme heat conditions.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
Carbon monoxide (CO) and carbon dioxide (CO₂)
In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

11 Toxicological information

- **Information on the likely routes of exposure** Skin and eyes contact
- **Numerical measures of acute toxicity:**

Components Mean of exposure	Type	Value (Species)
ATE (Acute Toxicity Estimate)		
Oral	LD50	9.686 mg/kg (Rat)
Dermal	LD50	>6.024 mg/kg
Inhalative	LC50 (4 h)	98,7 mg/L
141-43-5 2-Aminoethanol		
Oral	LD50	2.050 mg/kg (Rat)
Dermal	LD50	1.000 mg/kg (Rabbit)
Irritation of skin	OECD guideline 404	~1 (Rabbit)
Irritation of eyes	OECD, guideline 405	~1 (Rabbit)
Sensitization	OECD, guideline 406	(guinea pig)
100-51-6 Benzyl Alcohol		
Oral	LD50	1.230 mg/kg (Rat)
Dermal	LD50	2.000 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	5.000 mg/L (Rat)
112-59-4 2-(2-Hexyloxyethoxy)ethanol		
Oral	LD50	4.920 mg/kg (Rat)
Dermal	LD50	1.500 mg/kg (Rabbit)
68131-39-5 Alcohols (C12-15) Ethoxylated		
Oral	LD50	>5.000 mg/kg (Rat)
Dermal	LD50	>2.000 mg/kg (Rat)
Irritation of skin	OECD guideline 404	(Rabbit)
Irritation of eyes	OECD, guideline 405	~1 (Rabbit)
Sensitization	OECD, guideline 406	(guinea pig)

- **Symptomes related to the physical, chemical and toxicological characteristics**
- **If on the skin:** CORROSIVE: Strong caustic effect on skin and mucous membranes.
- **If on the eye:**
CORROSIVE: Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **After ingestion:** May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- **Sensitization:** No sensitizing effects known.
- **Delayed and immediate effects, and chronic effects from short-term and long-term exposure:**
Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.

(Contd. on page 6)

Product Identifier: Low Odor Floor Stripper

(Contd. of page 5)

12 Ecological information

- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** Not determined
- **Ecotoxicity:** No relevant information available.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods recommendation:**
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with local authority requirements.
Dispose in accordance with all applicable federal, state, provincial and local laws and regulations. Contact your local, state, provincial or Federal environmental agency for specific rules.
- **Uncleaned packagings recommendation:**
Do not re-use empty containers.
Dispose of packaging according to regulations on the disposal of packagings.
- **Recommended cleansing agent:**
Water
Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 Transport information

- **UN-Number**
- **DOT/TDG, IMDG, IATA** UN3267
- **UN proper shipping name**
- **DOT/TDG** Corrosive liquid, basic, organic, n.o.s. (2-Aminoethanol)
- **IMDG, IATA** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ethanolamine)
- **Transport hazard class(es)**
- **DOT/TDG (Transport dangerous goods):**



- **Class** 8 Corrosive substances
- **Class** 8 Corrosive substances
- **Packing group**
- **DOT/TDG, IMDG, IATA** III
- **Marine pollutant:** Yes (DOT)
Yes (P)
- **Limited quantities (LQ)** 5L

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 7)

Product Identifier: Low Odor Floor Stripper

(Contd. of page 6)

· **Canadian substance listings**

· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	

· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	

· Canadian Ingredient Disclosure list (limit 1%)	
141-43-5	2-Aminoethanol
100-51-6	Benzyl Alcohol
112-59-4	2-(2-Hexyloxyethoxy)ethanol

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

· **NFPA ratings (scale 0 - 4):**

Health = 2
Fire = 1
Reactivity = 0

· **Department issuing SDS:**

Prepared by :

Regulatory Affairs Department

· **Contact:** For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.