



# V01411

## R5 NA12™ FRESH BREEZE NON-ACID DISINFECTANT RESTROOM CLEANER



### Description

This concentrated, non-acid formulation is designed to clean, disinfect and deodorize hard inanimate surfaces in a restroom. Bactericidal, fungicidal and virucidal, it is proven effective against a broad spectrum of pathogens. The powerful odor-killing ingredients in this product help to counteract malodors. Use with confidence, this nonabrasive disinfectant cleaner will not harm plumbing, slow septic tank action, etch porcelain or pit fixtures.

### Efficacy data

#### For \*virucidal effectiveness:

Effective virucide in the presence of 5% serum against the following organisms:

- \*Hepatitis B Virus [HBV]
- \*Hepatitis C Virus [HCV]
- \*Herpes Simplex Virus Type 1
- \*Herpes Simplex Virus Type 2
- \*HIV-1 [AIDS virus]
- \*Influenza Virus Type A / Brazil [Influenza]
- \*Vaccinia Virus [Small Pox Virus]

Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

#### For hospitals, medical and dental offices, nursing homes and other medical facilities:

According to AOAC Use Dilution Test, this product is an effective hospital disinfectant in the presence of 5% organic serum against the following gram negative and gram positive organisms

#### Bacteria:

- Pseudomonas aeruginosa [Pseudomonas]
- Salmonella enterica [Salmonella]
- Staphylococcus aureus [Staph]
- Acinetobacter baumannii [Acinetobacter]
- Corynebacterium ammoniagenes [Brevibacterium ammoniagenes]
- Enterobacter aerogenes
- Enterococcus faecalis–Vancomycin resistant [VRE]
- Escherichia coli [E. coli]
- ESBL Escherichia coli–[Extended spectrum beta-lactamase producing E. coli]
- Klebsiella pneumoniae [Klebsiella]
- Pseudomonas cepacia [Pseudomonas]
- Salmonella schottmuelleri [Salmonella]
- Serratia marcescens
- Shigella dysenteriae [Shigella]
- Staphylococcus aureus Methicillin-Resistant [MRSA]
- Staphylococcus aureus–Vancomycin Intermediate Resistant–[VISA]
- Streptococcus faecalis [Strep]

#### For schools, public rest rooms, athletic facilities, motels and other non-medical institutional and industrial uses:

According to AOAC Use Dilution Test, this product is an effective broad spectrum general disinfectant in the presence or 5% organic serum against the following organisms:

- Brevibacterium ammoniagenes [Brevibacterium]
- Enterobacter aerogenes
- Escherichia coli [E. coli]
- Klebsiella pneumoniae [Klebsiella]
- Salmonella enterica [Salmonella]
- Salmonella schottmuelleri [Salmonella]

(Continued on back)

### Application

Concentrated acid free bathroom disinfectant

### Features/Benefits

Non-acid formula is safe for use on all hard, nonporous water washable surfaces

Efficacious against VRE and MRSA, Staph, Salmonella, Pseudomonas and HIV-1 (AIDS)

Non-acid formulation is safe to use every day

### Specifications

Color: Green

Scent: Fresh breeze

pH: 12.5–13.5

Dilution: 1:64 (2 oz /gal)

Density: 1.019

### Packaging

V01411: 4/2 L



© 2016 Veritiv Corporation. All rights reserved. Veritiv, the Veritiv logo, Reliable Brand and the Reliable Brand logo are trademarks of Veritiv Corporation or its affiliates. All other trademarks are the property of the respective owners and are used herein for identification purposes only. The information herein is true and accurate, to the best of our knowledge. Since environmental conditions are beyond our control, no warranty, expressed or implied, is made for this product when used in a manner inconsistent with this information. RBDCTDS1216

Every application. Every time.

reliablebrand.com | 1 844-VERITIV

Exclusively available from Veritiv™

Serratia marcescens  
Shigella dysenteriae [Shigella]  
Staphylococcus aureus [Staph]  
Streptococcus faecalis [Strep]

### Product directions

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Preparation of use-solution:** Disinfection–Medical (1:64) 2 oz per gallon of water. Disinfection–Non Medical (1:128) 1 oz per gallon of water. Virucide (1:128) 1 oz per gallon of water.

**Disinfection/virucidal\*/fungicidal/mold and mildew control directions:** apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended. Prepare fresh solution daily or more often if the solution becomes visibly dirty or diluted. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant. For sprayer applications, use a coarse spray device. Spray 6–8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

**For fungicidal activity:** At 1 oz per gallon of water, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

**For mold and mildew control:** At 1 oz per gallon of water, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Allow to dry on surface. Repeat every seven days or more often if new growth appears. This product is not for use on medical device surfaces.

**Glass cleaning/deodorizing directions:** add ½–2 oz of this product per gallon of water to clean and deodorize windows, mirrors and glass surfaces. Use a coarse spray device. Spray 6–8 inches from surface. Rub with a sponge or cloth. Do not breathe spray.

**Non-acid toilet bowl and urinal disinfectant/cleaner directions:** if surfaces are visibly dirty, preclean first.

**From concentrate:** Add 1–2 oz to the bowl water and mix. Thoroughly brush or swab over exposed surfaces including under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush.

**From use solution:** Empty toilet bowl or urinal and apply a 1–2 oz per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

**\*Kills HIV and HBV and HCV on pre cleaned environmental surfaces/objects previously soiled with blood/body fluids** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

**Special instructions for cleaning and decontamination against HIV-1 or HBV or HCV on surfaces/objects soiled with blood/body fluids. Personal protection:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning procedure:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact time:** Leave surface wet for 10 minutes.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

### First aid

**If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. **If swallowed,** call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **Note to physician,** probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

To download current SDS information, please visit [veritivcorp.msds.com](http://veritivcorp.msds.com).