

# V05169

## PREMIUM UHS FLOOR FINISH



### Description

Premium UHS Floor Finish is a floor finish that provides excellent gloss off the mop, superior durability, dries quickly and it responds quickly to burnishing. Its ease of application is well suited for low, periodic and high maintenance schedules and ensures trouble-free applications. It has excellent resistance to humidity, detergents, scuff, black heel mark and overall wear resistance and provides superior protection and brilliance to your floors.

### Use Directions

1. Remove old finish from the floor using a floor stripper.
2. Rinse, neutralize and allow floor to dry thoroughly.
3. Seal floor if desired.
4. Apply 2-6 coats of Premium UHS Floor Finish.
5. Allow 20–40 minutes drying time between each coat.
6. Finish can be maintained by daily washing with a neutral cleaner and periodical spray buffing or burnishing.

### Daily Cleaning

#### Low Maintenance:

1. Dust mop the floor to remove dirt and grit.
2. Use a neutral cleaner with mop or autoscrubber to remove soil.
3. When required use a burnisher (1000-3000 rpm), polish the floor to build shine, remove scratches and scuff marks.

#### Periodic Maintenance:

1. Dust mop the floor to remove dirt and grit.
2. Use a neutral cleaner with mop or autoscrubber to remove soil.
3. On a weekly basis, using a burnisher (1000-3000 rpm), polish the floor to build shine, remove scratches and scuff marks.
4. In high traffic areas, apply a coat of Premium UHS Floor Finish or spray burnish.

#### High Maintenance:

1. Dust mop the floor to remove dirt and grit.
2. Use a neutral cleaner with mop or autoscrubber to remove soils.

*(continued)*

### Technical Specifications

Appearance: Opaque liquid  
Colour: White  
Odour: Acrylic  
Specific Gravity: 1.012 – 1.052  
pH: 7.0 – 9.5  
Refractive Index (% Brix): 27.0 – 30.0%

© 2021 Veritiv Corporation. Reliable Brand and the Reliable Brand logo are trademarks of Veritiv Corporation or its affiliates. All other trademarks are the property of their respective owners. The information herein is true and accurate, to the best of our knowledge. Since environmental conditions are beyond our control, no warranty, expressed or implied, is made for this product when used in a manner inconsistent with this information. WF393307

4/26  
RBChemTDSCAEN

# V05169

## PREMIUM UHS FLOOR FINISH



### High Maintenance:

1. Dust mop the floor to remove dirt and grit.
2. Use a neutral cleaner with mop or autoscrubber to remove soils.

### Scrub and Re-Coat:

1. Dust mop the floor to remove dirt and grit.
2. Dilute a deep scrub cleaner in a mop bucket using a low speed floor machine or auto-scrubbing machine.
3. Apply solution to floor.
4. Using a blue pad scrub floor to remove the top layers of soiled finish.
5. Pick-up dirty solution with mop or vacuum.
6. Rinse thoroughly and let dry completely before recoating.
7. When the floor is dry, apply 2-3 coats of Premium UHS Floor Finish.
8. Allow 20-40 minutes of drying time between coats.
9. Allow 24 hours to cure.
10. Burnish (1000–3000 rpm) for a “Wet Look” shine.

### Precautions for Food Plants:

Must be applied in keeping with manufacturers’ recommendations for application on hard smooth level surfaces. To avert possible adverse organoleptic effects in food, which are processed in the area, adequate precautions should be taken to ensure that the volatile constituents of the applied products do not contaminate the foods.

### Technical Specifications

Appearance: Opaque liquid

Colour: White

Odour: Acrylic

Specific Gravity: 1.012 – 1.052

pH: 7.0 – 9.5

Refractive Index (% Brix): 27.0 – 30.0%

© 2021 Veritiv Corporation. Reliable Brand and the Reliable Brand logo are trademarks of Veritiv Corporation or its affiliates. All other trademarks are the property of their respective owners. The information herein is true and accurate, to the best of our knowledge. Since environmental conditions are beyond our control, no warranty, expressed or implied, is made for this product when used in a manner inconsistent with this information. WF393307

4/26  
RBChemTDSCAEN